



# **ADVANCE**

STAR is providing this series of information strips so adult consumers can make informed choices.

STAR wants you to KNOW about:

# Measuring TOXINS in Smoke

There are thousands of different thy chemical particles in cigarette smoke. These con be measured. A smoking machine pulls cigarettes in a standard way. A filter pad trops the particles and a device collects the gases small enough to pass through the pad, The chemicals are then measured by other techniques.

Different smoking methods use different "settings" for how big the puffs are, how often they are taken, etc. The F.T.C. method has been in use for over thirty years and is used to get the "tat" and nicotine levels that are printed on cigarette ads.

## 2082155758

This method has been criticized for not "smoking" the way people actually smoke and coming up with unrealistically low numbers. For example, smokers sometimes block the tiny holes in some filter tips and his increases the amounts of tar and nicotine they actually get, The Massachusetts (MA) method blocks 50% of the filter holes and takes larger, more frequent pulis. The numbers it produces may be more realistic for smokers of "lights" and "ultralights."

ovar

# ADVANCE'

STAR is providing this series of information strips so Star adult consumers have a sound basis for making informed choices.

Star wants you to KNOW:

#### THERE IS NO SUCH THING AS A "SAFE" CIGARETTEI

There are more than 4,000 different chemicals in cigarette smoke. About 40 of these are thought to be carcinogens (cancer-causing chemicals). Some of the non-carcinogens may play a role in causing lung damage or heart disease. Since most of the carcinogens are found in the "tar" part of the smoke, one approach to reducing the health hazards of smoking has been to lower tar.

For many years, tar levels have been measured by smoklng each brand on a smoking machine. The settings on the

### 2082155759

machine (the size and number of puffs, etc.) were specified by the Federal Trade Commission and all cigarettes were smoked in the same manner.

By adding filters and putting tiny ventilation holes in the filters, cigarette makers developed many brands which tested as having reduced tar and nicotine even though the tobacco itself was relatively unchanged.

Because many smokers smoke to get nicoline, they tend over

The following Table shows SOME results of independent laboratory testing of ADVANCE using both the FTC and MA methods.

## 2082155757

(NUEPENDENT LAB TESTS
OF ADVANCE (AV) COMPARED
TO THE AVERAGE OF THREE
LEADING LIGHTS BRANDS (LL)

F.T.G. method

Toxin	11	PV	% par
lar*	10.7	9,8	(B
igicoline.	9,6	D,Á	ď
COs	12.2	D.I	175

Massachusells maited

Torin	<u> 11</u>	AV	% <u>(                                   </u>
Tora	22.7	20.8	18
Nicoline •	Ū	12	ō
CD;	22.5	12.7	117
isna neuv	297.0	73.0	117 174
TSNA NUKF	101.7	30.2	184
tsna nate	247.5	23.5	762
isna nabi	43.1	10.7	176
Talk Terre	70ሷላ	707.1	173
Actorin a	ena.e	102.0	16
Formaldefryde*	55.3	61.2	j 47
Accialdenyace	1001.9	963.6	17
galacae.	78.5	55.9	115 15
Hickory	7.3	7.7	†5
iwic Oxida>	465.0	234.1	.156
Enstole pyrang:	50.0	10.4	įв
Hydrogen Cylindes	300.1	210.2	139

Units: x = mg/cig: b = ug/cig: c-ng/cig Table Values and %'s are roupied I LOWER DI ADVANCE 7 HIGHER IN ADVANCE

ADMANCE uses tobacco cured in special STARCURE™ barns and a special charcoal litter. These steps lower total TSMAs by more than 70% and reduce SOME toxic gases compared to leading "light" brands, ISMAs are a group of potent cancercasting chemicals. It is not yet known if reducing TSMAs and other toxins will lower YOUR hoalth risks.

#### THERE IS NO SUCH THING AS A "SAFE" CIGARETTE.

For more toxin data and other information, go to our website at www.starscientific.com and read the other information strips in this scries.

PACK ONSERT

15.07509

Back of "There is no such

to smoke more intensely when smoking "lights" or "ultra-lights".

This "compensation" is achieved by taking bigger, deeper, or more frequent pulits, or by having more eigerettes. As a result their exposure to toxins may not be really reduced. This is why "lights" and "ultra-lights" are NOT NOW viewed by health scientists as rullably less hazscientists as reliably less hazardous

Using a different approach, STAR has actually reduced some toxins in the tobacco itself.

### 2082155760

ADVANCE cigarettes use ADVANCE cigarettes use tobacco cured in special STAR-CURE™ tobacco barns to prevent or reduce the formation of tobacco-specific nitrosamines (TSNAs), a group of potent cancer-causing chemicals in tobacco and tobacco smoke.

Total TSNA levels in ADVANCE are more than 70% lower than levels found in the leading "light" brands.

ADVANCE also uses a special charcoal filter to reduce SOME toxic gases in cigarette smoke.

### **ALL SMOKED TOBACCO** PRODUCTS ARE ADDICTIVE AND POSE SERIOUS HEALTH HAZARDS.

it is not yet known if reduc-ing TSNAs and other toxins will lower YOUR health risks.

#### IT IS STILL BETTER TO QUIT THAN TO SWITCH OR SMOKE.

For more information, go to our website at: www.starscientific.com and read the other information strips in this series.

PACK ONGERT

15-07804